MAN

MAN TGX 18.510 4X2 BLS

SH02211025



Body type Tractor unit
1st reg. 10/2019

Power 375kW (510 HP)

Mileage 569436 km

Storage location Otopeni - MHS Truck

Service

BASIC DATA

Brand MAN

Model serie TGX

Model variant TGX TG2

Body type Tractor unit (Standard)

Colours white
Driver's cab XLX

Berths 1 berth

TECHNICAL DATA

Power 375 kW (510 HP)

Fuel Diesel

Gearbox type Automatic

Wheel drive 4x2

Suspension Leaf air suspension

Axles 2 axles

WEIGHTS AND MEASURES

GVW 18,000 kg

Rear overhang 800 mm

Wheel base 3600 mm

Fuel tank AdBlue: 60 I

Fuel tank: 580 I

Emission category Euro6



EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Retarder
- Rear underrun
- Electr. and heated kerb mirror: right
- Electr./heated wide angle mirror
- Flashing beacon

Wheels and tyres

- Light alloy rims
- Spare wheel carrier

Comfort

- Adjustable steering column
- Electric window lift 2x
- Automatic climate control
- Driver's armrest
- Comfortable driver seat: with air suspension
- Additional heating
- Central locking with remote control
- Heated drivers seat
- Air-suspended driver seat
- Driver's lumbar support
- Cup holder front
- Isolated driver's cab
- DC/AC converter

Interior

- Board computer
- Multifunctional steering wheel
- Wood inlays
- CB radio
- Digital tachograph
- Sun visor
- Carpet floor covering
- Cooling box

Light and sight

- Fog lights
- Tinted glass
- Headlight range control
- Cornering light
- LED daytime running lights
- Ambient lighting

Audio & communication

- MAN Media Pack Navigation Plus
- Radio
- Mobile phone preparation Bluetooth
- Soundsystem
- AUX & USB connector

Assistance systems



- Distance cruise control
- MAN BrakeMatic
- Brake assist
- Voice control system
- Lane-Guard-System LGS
- Hill Hold Control HHC
- Speed limiter

Equipment packages

- Equipment package
- Safety plus package

Exterior

- Electr. and heated rear view mirrors
- Low noise
- Roof hatch
- Rear differential lock
- PTO
- Fifth wheel
- 1x15 pin plug
- Spare wheel
- MAN AttentionGuard
- Cab Suspension
- Working lights
- Axle load indicator
- Information and service system
- RIO Box

Others

front springs parabolic 7.5 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, HY axle ratio i 2.71, cab tilt mechanism hydraulic/ electric, cab insulation NORDIC, supply kit for semitrailer with lifting axle or moving-off aid, trailer socket 24V (15-pin), pick-up plate 40 mm