MAN

MAN TGX 18.460 4X2 BLS

SH04820724



Price **18,990 EUR** (net)

22,978 EUR (gross)

Offer Date 03.11.2025

Body type Tractor unit
1st reg. 12/2018

Power 338kW (460 HP)
Mileage 736856 km

Storage location Otopeni - MHS Truck

Service

BASIC DATA

Brand MAN

Model serie TGS

Model variant TGS TG2

Body type Tractor unit (Standard)

Colours white
Driver's cab XLX

Berths 2 berths

TECHNICAL DATA

Power 338 kW (460 HP)

Fuel Diesel

Gearbox type Automatic

Wheel drive 4x2

Suspension Leaf air suspension

Axles 2 axles

WEIGHTS AND MEASURES

GVW 18,000 kg
Rear overhang 800 mm

Rear overhang 800 mm

Wheel base 3600 mm

Fuel tank AdBlue: 60 I

Fuel tank: 580 I Fuel tank: 580 I

Emission category Euro6



EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror

Interior

- Board computer
- Multifunctional steering wheel
- Aluminum inlays
- Digital tachograph
- Carpet floor covering
- Cooling box

Exterior

- Self-levelling suspension
- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- Fifth wheel
- 1x15 pin plug
- Working lights
- Axle load indicator
- Lifting roof (manual)
- Information and service system
- RIO Box

Assistance systems

Comfort

- Adjustable steering column
- Electric window lift 2x
- Air conditioning
- Driver's armrest
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Air-suspended driver seat
- Cup holder front
- Isolated driver's cab
- DC/AC converter

Light and sight

- Fog lights
- Tinted glass
- Headlight range control
- Cornering light
- Daytime running lights

Audio & communication

- Radio
- Mobile phone preparation Bluetooth
- AUX & USB connector



- Efficientcruise
- MAN BrakeMatic
- Brake assist
- Lane-Guard-System LGS
- Hill Hold Control HHC
- Speed limiter

Wheels and tyres

Spare wheel carrier

Equipment packages

- Aero package
- Efficientline 3 package

Others

front springs parabolic 7.5 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, hypoid axle ratio i 2.53, fuel filter heating, cab insulation NORDIC, wiring for tank truck to ADR, ADR Typ AT, trailer socket 24V (15-pin), pick-up plate 40 mm